




NOTUBES

HIGH
PERFORMANCE
PRODUCTS

2011



A patented design feature created to mimic the tire bead shape and securely retain the bead for a tighter tubeless seal. The inner rim shape allows the rim to be taped air tight for tubeless use with a sealant or for tubed use. Found only on Stan's NoTubes rims or those licensed by us.



Standard Rim

Rim with BST™

As shown to the left, standard rims with tall sidewalls alter the tire's natural shape and create more opportunity for pinch flats. A rim utilizing Bead Socket Technology uses less material for reduced rotational weight, increases tire volume, reduces pinch flats and by moving the beads farther apart also allows for a more stable tire at low pressure.

By altering the height of the sidewall in addition to the internal width and shape, each rim featuring BST is optimized for the intended usage. From the shortest sidewall found on the Podium MMX model to the taller and heavier duty sidewall of the Flow, tubeless performance has never been better.



ZTR RACE 29er

THE LIGHTEST 29er WHEELSET AVAILABLE



ZTR RACE 29er WHEELSET

The ZTR Race 29er wheel set changed the way people looked at 29ers. No longer held back by heavier wheels, 29ers have come to the forefront of racing today. For 2011 the Race 29er sets are upgraded to Stan's 3.30Ti hubs for improved performance and reliability. The ZTR Race 29er rims are designed using BST for a superior tubeless seal.

- Available only as a complete wheelset with yellow tape and valves installed.

TWT# WL559
ZTR Race 29er with Stan's 3.30Ti hubs

TWT# WL558
ZTR Race 29er with Cannondale Lefty front and Stan's 3.30Ti rear hubs

Rim: ZTR Race 29er, disc only, black anodized, 32 hole
Spokes: Black DT Revolution 2.0/1.5
Nipples: DT Silver Aluminum
Front hub: Stan's 3.30Ti hub
Rear hub: Stan's 3.30Ti hub

ZTR PODIUM MMX

THERE IS NOTHING LIGHTER OR FASTER



26" - ZTR PODIUM MMX WHEELSET

- Available only as a complete wheelset with yellow tape and valves installed.
- Stan's 3.30Ti hubs, custom black DT Swiss Revolution 1.8/1.5 spokes and red alloy nipples, with yellow tape and valves installed.

FEATURES

- Complete disc tubeless wheelset weight of 1245 grams (including tape and valves)
- Rim weight 290g, making it the lightest production rim offered
- Intended for low pressure use: 15 - 33 PSI with 2.0" tires
- Recommended rider weight limit of 170 pounds

TWT# WL553
ZTR Podium MMX with Stan's 3.30Ti QR hubs front & rear

TWT# WL552
ZTR Podium MMX with Cannondale Lefty front hub & Stan's 3.30Ti rear hub

ZTR CREST 29er / 26"



ZTR CREST WHEELSET

- Available in 29er and 26" wheel sizes

Rim: ZTR Crest disc only, black anodized, 32 hole
Spokes: Black Butted Stainless
Nipples: Alloy
Front hub: Stan's 3.30 hub
Rear hub: Stan's 3.30 Hub
Weight: 29er: 1560g
26": 1420g

TWT# WL556
Wheelset MTB Stans ZTR Crest 29er ZTR hubs DT spokes 2.0/1.7 black 1530g

TWT# WL541
Wheelset MTB Stans ZTR Crest ZTR hubs DT spokes black 1420g

ZTR ALPINE



ZTR ALPINE WHEELSET

- The Everyday lightweight option

Rim: ZTR Alpine, disc only, black anodized, 32 hole
Spokes: Black Butted Stainless
Nipples: Alloy
Front hub: Stan's 3.30 hub
Rear hub: Stan's 3.30 Hub
Weight: 1390~1400g

TWT# WL542
Wheelset MTB Stans ZTR Alpine ZTR hubs DT spokes black 1400g

SELECTING THE RIGHT RIMS


When selecting the proper rim for a wheelset it is important to consider several factors including the needs of each individual rider. Your local bike shop or NoTubes can help you make the best choice from the ZTR rim line to suit your needs. The chart below provides a rough starting point. The more wheel icons you see, the more appropriate that particular rim is to the application. We are often asked if we have a weight limit but it's more important to consider all of the components in the wheel as well as the intended use.

Rim Selection

	XC RACING	XC	ALL MOUNTAIN	DH RACING
ZTR Podium MMX	●●●●●	●		
ZTR Alpine	●●●●●	●●●		
ZTR Crest	●●●●●	●●●●●		
ZTR Arch	●●	●●●●●	●●	
ZTR Flow		●	●●●●●	●●●
ZTR Race 29er	●●●●●	●		
ZTR Crest 29er	●●●●●	●●●		
ZTR Arch 29er	●●●	●●●●●	●●	
ZTR Flow 29er		●●	●●●●●	

● = Good
●●●●● = Best

ZTR ALPINE ONLY 330 GRAMS




The benchmark in light weight cross country rims is back for a second year. Featuring a purpose built BST design, wide inside shape and short sidewall for tire stability. Perfect for every rider who craves low weight, high performance rims.

Fully tubeless compatible with the yellow tape and valve stem.

ZTR Alpine Specs

SKU	Size	Color	Hole #	Brakes	Weight	ISO	ERD	Tape (W)
RM581	26"	Black	32	Disc	330g	559x20	537	21mm
RM581W	26"	White	32	Disc	350g	559x20	537	21mm
RM478	26"	Black	28	Disc	330g	559x20	537	21mm

ZTR CREST ONLY 340 GRAMS



Wider and stiffer than the Alpine, lighter than the Arch, the ZTR Crest is built for cross country and light trail use. Next generation BST provides the tire stability and tubeless seal. Wins at the Tour Divide and BC Bike Race have established the Crest 29er as the leader in light, reliable big wheels.

Fully tubeless compatible with the yellow tape and valve stem.

ZTR Crest Specs

SKU	Size	Color	Hole #	Brakes	Weight	ISO	ERD	Tape (W)
RM552	26"	Black	32	Disc	340g	559x21	541	21-25mm
RM552W	26"	White	32	Disc	370g	559x21	541	21-25mm
TR63	26"	Black	28	Disc	340g	559x21	541	21-25mm
RM591	29"	Black	32	Disc	380g	622x21	605	21-25mm
RM591W	29"	White	32	Disc	410g	622x20	605	21-25mm

ZTR ARCH AGGRESSIVE XC/Trail



The standard by which all other 29er rims are now judged, the Arch features BST and an internal arch that yields exceptional stiffness in a light package. Reasonably light, very durable and with a confidence inspiring stiffness that provides responsive handling, there's no wonder why so many riders choose the Arch.

Fully tubeless compatible with the yellow tape and valve stem, or the Olympic rim strip.

ZTR Arch Specs

SKU	Size	Color	Hole #	Brakes	Weight	ISO	ERD	Tape (W)
RM586	26"	Black	32	Disc	420g	559x19	540	25mm
TR44W	26"	White	32	Disc	440g	559x19	540	25mm
RM592	29"	Black	28	Disc	470g	559x19	540	25mm
TR45W	29"	White	28	Disc	500g	559x19	540	25mm

ZTR FLOW ALL MOUNTAIN



The Flow rim represents unparalleled stiffness to weight thanks to the innovative internal arch design. More than capable for heavy duty trail use, all mountain riding and even having a World Cup Downhill championship to its credit, the Flow continues to impress.

Fully tubeless compatible with the yellow tape and valve stem, or the Flow rim strip.

ZTR Flow Specs

SKU	Size	Color	Hole #	Brakes	Weight	ISO	ERD	Tape (W)
RM587	26"	Black	32	Disc	470g	559x22.6	536	25mm
RM587W	26"	White	32	Disc	510g	559x22.6	536	25mm
RM594	29"	Black	32	Disc	525g	622x22.6	600	25mm
TR43W	29"	White	32	Disc	555g	622x22.6	600	25mm



STAN'S TIRE SEALANT

VIRTUALLY ELIMINATES FLATS

Just two ounces of Stan's Tire Sealant in a converted standard tire or a tubeless tire can repair up to a 1/4" hole instantly. The secret weapon of racers worldwide and the savior of countless trail riders, Stan's Tire Sealant works wonders on punctures caused by thorns, cactus, goat heads, nails, or pinch flats.

TWT # TT918 - 450ml | 16 oz
TT920 - 950ml | 32 oz

2 OZ. BOTTLE 12 PACK

A 12 pack point of purchase display box of our convenient, 2 ounce pre-filled bottles for one application in a bicycle tire. Easily fits in a backpack or saddle bag. A must have for the repair kit and perfect for any tubeless tire installation.

THE INJECTOR

Two ounce injector makes application of sealant simple, with no mess or waste of sealant.



TWT # TT912



TWT # TT922

TUBELESS CONVERSION KITS

Stan's patented tubeless conversion kits can be used to convert existing tube type wheels to tubeless.

EACH KIT CONTAINS THE FOLLOWING:

- Two molded rim strips with integrated valve
- One pint of Stan's Tire Sealant*
- One roll of Universal Kit Tape
- Detailed installation instructions
- NoTubes decal

Tubeless Kits

- TWT #** TT960 - Standard Tubeless Kit
 TT965 - Freeride Tubeless Kit
 TT961 - 29er Tubeless Kit



RIM TAPE



All valve stems feature removable valve cores

Stan's Yellow Rim Tape

Designed to seal the spoke bed of BST equipped rims air tight or may be used as a lightweight rim tape in any rim.

1 roll will tape up to (5) 26" rims or (4) 29" rims.

- TWT #** TT916 - 10 YARDS X 21MM WIDE
 TT914 - 10 YARDS X 25MM WIDE
 TT913 - UNIVERSAL KIT TAPE

The same lightweight tape included with the Tubeless Kits. An economical choice for use under the rubber rim strips or with a tube.



Valves Stems

- TWT #** TT906 - TYRE VALVE STEM STAN'S OLYMPIC (ZTR RANGE)
 TT909 - TYRE VALVE STEM STAN'S UST (SHIMANO RANGE)
 TT910 - TYRE VALVE STEM STAN'S STANDARD (NON UST, NON ZTR)

Tools & Adapters

- AS01 - PRESTA REMOVABLE VALVE CORE **TWT #** TT904

Replacement core for our presta valve stems and presta valve equipped rim strips.

- AS27 - VALVE CORE REMOVER **TWT #** TT908

Removes presta and schrader valve cores. CNC machined, anodized finish with laser etched logo. Fits between spokes for quick and easy core removal.

RIM STRIPS

- TWT #** TT930 - Standard Rim Strip - 32mm PV
 TT932 - Freeride Rim Strip - 32mm SV
 TT936 - 29er Rim Strip - 32mm PV
 TT925 - Olympic Rim Strip - 32mm PV



STAN'S HUBS



Stan's 3.30 Front Disc Hub

- TWT #** WH943
- 162 grams setup as quick release
 - 139 grams setup as 15mm thru axle (kit sold separately)
 - Steel QR with alloy lever included

Stan's 3.30 Rear Disc Hub

- TWT #** WH944
- 252 grams
 - Steel QR with alloy lever included

Stan's 3.30HD Front Hub

- 20mm thru axle hub weighing 174 grams
- 185 grams setup as 15mm thru axle (kit sold separately)
- 196 grams setup as QR (kit sold separately)

Stan's 3.30Ti Front Disc Hub

- 140 grams setup as quick release
- 117 grams setup as 15mm (kit sold separately)
- 6 bolt IS disc mount optimized for weight savings
- Stainless steel bearings
- Tubular chromoly QR with carbon lever

Stan's 3.30Ti Rear Disc Hub

- 233 grams
- 6 bolt IS disc mount optimized for weight savings
- Stainless steel bearings
- Tubular chromoly QR with carbon lever

Stan's 3.30R Front Road Hub

- 96 grams
- Steel QR with alloy lever included

Stan's 3.30R Rear Road Hub

- 240 grams
- Shimano/SRAM or Campagnolo compatible
- Steel QR with alloy lever included

Stan's 15mm Adaptor for QR Hub

- TWT #** WH939
- Converts QR Front Hub to 15mm Thru-axel type